



## **RACUMIN FOAM**

Version 3 / GB  
102000025363

1/12  
Revision Date: 07.03.2017  
Print Date: 07.04.2017

### **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

#### **1.1 Product identifier**

**Trade name** RACUMIN FOAM  
**Product code (UVP)** 80260997

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Rodenticide

#### **1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer Environmental Science  
230 Cambridge Science Park  
Milton Road  
Cambridge  
Cambridgeshire CB4 0WB  
United Kingdom

**Telephone** 00800-1214 9451  
**Telefax** +44(0)1223 426240  
**Responsible Department** Email: [ukinfo@bayercropscience.com](mailto:ukinfo@bayercropscience.com)

#### **1.4 Emergency telephone no.**

**Emergency telephone no.** 0800-220876 (UK 24 hr)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Flammable aerosols: Category 1  
H222 Extremely flammable aerosol.

Reproductive toxicity: Category 1B  
H360D May damage the unborn child.

Specific target organ toxicity - repeated exposure: Category 2  
H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

Eye irritation: Category 2  
H319 Causes serious eye irritation.

Chronic aquatic toxicity: Category 2  
H411 Toxic to aquatic life with long lasting effects.

#### **2.2 Label elements**

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

**RACUMIN FOAM**Version 3 / GB  
102000025363

2/12

Revision Date: 07.03.2017

Print Date: 07.04.2017

- Coumatetralyl
- Isotridecylalcohol-6-ethoxylate
- Butane
- Propane

**Signal word:** Danger**Hazard statements**

|        |   |
|--------|---|
| H222   | Extremely flammable aerosol.  |
| H229   | Pressurised container: May burst if heated.   |
| H360D  | May damage the unborn child.  |
| H373   | May cause damage to organs (Blood) through prolonged or repeated exposure.                |
| H319   | Causes serious eye irritation.  |
| H411   | Toxic to aquatic life with long lasting effects.  |
| EUH401 | To avoid risks to human health and the environment, comply with the instructions for use. |
|        | Restricted to professional users.   |

**Precautionary statements**

|             |   |
|-------------|---|
| P210        | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  |
| P211        | Do not spray on an open flame or other ignition source.   |
| P251        | Do not pierce or burn, even after use.  |
| P280        | Wear protective gloves/ protective clothing/ eye protection/ face protection.   |
| P308 + P311 | IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.   |
| P501        | Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. |

**2.3 Other hazards**

Pressurised container, heating will cause pressure rise with a risk of bursting.

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**

Aerosol dispenser (AE)  
Coumatetralyl 0,4 %

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

| Name          | CAS-No. /<br>EC-No. /<br>REACH Reg. No. | Classification                  | Conc. [%] |
|---------------|---|---------------------------------|-----------|
|               |   | REGULATION (EC) No<br>1272/2008 |           |
| Coumatetralyl | 5836-29-3                               | Acute Tox. 1, H330              | 0.40      |

**RACUMIN FOAM**Version 3 / GB  
1020000253633/12  
Revision Date: 07.03.2017  
Print Date: 07.04.2017

|                                 |  |  |              |
|---------------------------------|--|--|--------------|
|                                 | 227-424-0                                      | Acute Tox. 2, H300<br>Acute Tox. 2, H310<br>STOT RE 1, H372<br>Aquatic Chronic 3, H412 |              |
| Isotridecylalcohol-6-ethoxylate | 69011-36-5<br>500-241-6                        | Acute Tox. 4, H302<br>Eye Dam. 1, H318   | > 1.00 – < 3 |
| Glycerine                       | 56-81-5<br>200-289-5                           | Not classified   | > 1.00       |
| Butane                          | 106-97-8<br>203-448-7<br>01-2119474691-32-xxxx | Flam. Gas 1, H220<br>Press. Gas  | > 1.00       |
| Propane                         | 74-98-6<br>200-827-9<br>01-2119486944-21-xxxx  | Flam. Gas 1, H220<br>Press. Gas  | > 1          |

**Further information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures****General advice**

Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways). In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**Inhalation**

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

**Skin contact**

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Take off contaminated clothing and shoes immediately. Get medical attention if irritation develops and persists.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

**Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed****Symptoms**

If large amounts are ingested, the following symptoms may occur:

State of shock, Nose bleeding, Bloody vomiting, Abdominal pain, Back pain

Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

**4.3 Indication of any immediate medical attention and special treatment needed**



## **RACUMIN FOAM**

Version 3 / GB  
102000025363

4/12

Revision Date: 07.03.2017  
Print Date: 07.04.2017

---

**Treatment** Treat symptomatically. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

---

### **SECTION 5: FIREFIGHTING MEASURES**

#### **5.1 Extinguishing media**

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

#### **5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.

**||** When dealing with a spillage do not eat, drink or smoke.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

#### **6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed container.

**|| Additional advice** Check also for any local site procedures.

**RACUMIN FOAM**Version 3 / GB  
102000025363

5/12

Revision Date: 07.03.2017

Print Date: 07.04.2017

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

**Advice on protection against fire and explosion** The product is extremely flammable. Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge. Fire or intense heat may cause violent rupture of packages.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only.  
Keep out of reach of children and animals. Keep away from direct sunlight. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** Aluminium with interior coating

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

| Components           | CAS-No.   | Control parameters                         | Update  | Basis    |
|----------------------|-----------|--|---------|----------|
| Coumatetralyl        | 5836-29-3 | 0.01 mg/m <sup>3</sup><br>(TWA)            |         | OES BCS* |
| Glycerine<br>(Mist.) | 56-81-5   | 10 mg/m <sup>3</sup><br>(TWA)              | 12 2011 | EH40 WEL |
| Butane               | 106-97-8  | 1,810 mg/m <sup>3</sup> /750 ppm<br>(STEL) | 12 2011 | EH40 WEL |
| Butane               | 106-97-8  | 1,450 mg/m <sup>3</sup> /600 ppm<br>(TWA)  | 12 2011 | EH40 WEL |

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls**



**RACUMIN FOAM**

Version 3 / GB  
102000025363

6/12

Revision Date: 07.03.2017  
Print Date: 07.04.2017

**Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**      Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**      Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.  
Personal protective equipment is not normally required. However, if there is a risk of uncontrolled exposure to the contents, the following should be considered.

|                      |  |
|----------------------|--|
| Material             | Nitrile rubber                           |
| Rate of permeability | > 480 min                                |
| Glove thickness      | > 0.4 mm                                 |
| Protective index     | Class 6                                  |
| Directive            | Protective gloves complying with EN 374. |

**Eye protection**      Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**      Wear standard coveralls and Category 3 Type 6 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

|               |                      |
|---------------|----------------------|
| <b>Form</b>   | aerosol              |
| <b>Colour</b> | dark blue            |
| <b>Odour</b>  | weak, characteristic |



## RACUMIN FOAM

Version 3 / GB  
102000025363

7/12  
Revision Date: 07.03.2017  
Print Date: 07.04.2017

---

|   |  |
|---|--|
| <b>Density</b>                                | ca. 0.95 g/cm <sup>3</sup> at 20 °C                          |
| <b>Water solubility</b>                       | miscible   |
| <b>Partition coefficient: n-octanol/water</b> | Coumatetralyl: log Pow: 1.5                                  |
| <b>9.2 Other information</b>                  | Further safety related physical-chemical data are not known. |

---

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Acute oral toxicity** ATE (Mix) (Rat) > 2,000 mg/kg  
Acute toxicity estimate  
Calculation method

**Acute inhalation toxicity** ATE (Mix) (Rat) > 5.0 mg/l  
Acute toxicity estimate  
Calculation method

**Acute dermal toxicity** ATE (Mix) (Rat) > 5,000 mg/kg  
Acute toxicity estimate  
Calculation method

**Skin irritation** No skin irritation (Rabbit)  
The information is derived from the properties of the individual components.

**Eye irritation** Irritating to eyes. (Rabbit)  
The information is derived from the properties of the individual components.

**Sensitisation** Non-sensitizing. (Guinea pig)  
The information is derived from the properties of the individual components.

**Assessment STOT Specific target organ toxicity – single exposure**



## RACUMIN FOAM

Version 3 / GB  
102000025363

8/12  
Revision Date: 07.03.2017  
Print Date: 07.04.2017

Coumatetralyl: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Coumatetralyl caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Coumatetralyl are related to antivitamin K properties.

### Assessment mutagenicity

Coumatetralyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Coumatetralyl is not considered carcinogenic.

### Assessment toxicity to reproduction

Coumatetralyl: May damage the unborn child.

### Assessment developmental toxicity

Coumatetralyl did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

Based on available data, the classification criteria are not met.

---

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

|  |   |
|--|---|
| <b>Toxicity to fish</b>                  | LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l<br>Exposure time: 96 h<br>The value mentioned relates to the active ingredient coumatetralyl.                  |
| <b>Toxicity to aquatic invertebrates</b> | EC50 (Daphnia magna (Water flea)) > 14 mg/l<br>Exposure time: 48 h<br>The value mentioned relates to the active ingredient coumatetralyl.                         |
| <b>Toxicity to aquatic plants</b>        | IC50 (Desmodesmus subspicatus (green algae)) > 18 mg/l<br>Growth rate; Exposure time: 96 h<br>The value mentioned relates to the active ingredient coumatetralyl. |

### 12.2 Persistence and degradability

**Biodegradability** Coumatetralyl:  
Not rapidly biodegradable

**Koc** Coumatetralyl: Koc: 453

### 12.3 Bioaccumulative potential

**Bioaccumulation** Coumatetralyl: Bioconcentration factor (BCF) 3 - 11  
Does not bioaccumulate.

### 12.4 Mobility in soil

**Mobility in soil** Coumatetralyl: Moderately mobile in soils

### 12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Coumatetralyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).





**RACUMIN FOAM**

Version 3 / GB  
102000025363

9/12  
Revision Date: 07.03.2017  
Print Date: 07.04.2017

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

**Product** Disposal of the liquid product when not contained in the aerosol container by incineration in an appropriately licensed commercial incinerator.  
Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

**Contaminated packaging** Ensure aerosol container is empty before disposal.  
Dispose of empty and cleaned packaging safely.  
Not completely emptied packagings should be disposed of as hazardous waste.

**Waste key for the unused product** **16 05 04\*** gases in pressure containers (including halons) containing dangerous substances

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**

|                                 |                 |
|---------------------------------|-----------------|
| 14.1 UN number                  | <b>1950</b>     |
| 14.2 Proper shipping name       | AEROSOLS        |
| 14.3 Transport hazard class(es) | 2.1             |
| 14.4 Packing group              | NOT APPLICABLE. |
| 14.5 Environm. Hazardous Mark   | NO              |
| Hazard no.                      | NOT APPLICABLE. |
| Tunnel Code                     | D               |

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

|                                 |                 |
|---------------------------------|-----------------|
| 14.1 UN number                  | <b>1950</b>     |
| 14.2 Proper shipping name       | AEROSOLS        |
| 14.3 Transport hazard class(es) | 2.1             |
| 14.4 Packing group              | NOT APPLICABLE. |
| 14.5 Marine pollutant           | NO              |

**IATA**

|                                 |                     |
|---------------------------------|---------------------|
| 14.1 UN number                  | <b>1950</b>         |
| 14.2 Proper shipping name       | AEROSOLS, FLAMMABLE |
| 14.3 Transport hazard class(es) | 2.1                 |
| 14.4 Packing group              | NOT APPLICABLE.     |
| 14.5 Environm. Hazardous Mark   | NO                  |

**UK 'Carriage' Regulations**



## **RACUMIN FOAM**

Version 3 / GB  
102000025363

**10/12**  
Revision Date: 07.03.2017  
Print Date: 07.04.2017

---

14.1 UN number **1950**  
14.2 Proper shipping name AEROSOLS  
14.3 Transport hazard class(es) 2.1  
14.4 Packing group NOT APPLICABLE.  
14.5 Environm. Hazardous Mark NO

### **14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

### **14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

## **SECTION 15: REGULATORY INFORMATION**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

#### **Transport**

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

#### **Supply and Use**

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

#### **Waste Treatment**

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

#### **Further information**

WHO-classification: III (Slightly hazardous)

### **15.2 Chemical Safety Assessment**

A chemical safety assessment is not required.

---

**RACUMIN FOAM**Version 3 / GB  
10200002536311/12  
Revision Date: 07.03.2017  
Print Date: 07.04.2017**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

|      |   |
|------|---|
| H220 | Extremely flammable gas.  |
| H300 | Fatal if swallowed.   |
| H302 | Harmful if swallowed.   |
| H310 | Fatal in contact with skin.   |
| H318 | Causes serious eye damage.  |
| H330 | Fatal if inhaled.   |
| H372 | Causes damage to organs (Blood) through prolonged or repeated exposure. |
| H412 | Harmful to aquatic life with long lasting effects.                      |

**Abbreviations and acronyms**

|           |  |
|-----------|--|
| ADN       | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways                |
| ADR       | European Agreement concerning the International Carriage of Dangerous Goods by Road                            |
| ATE       | Acute toxicity estimate  |
| CAS-Nr.   | Chemical Abstracts Service number  |
| Conc.     | Concentration  |
| EC-No.    | European community number  |
| ECx       | Effective concentration to x %   |
| EH40 WEL  | Worker Exposure Limit  |
| EINECS    | European inventory of existing commercial substances   |
| ELINCS    | European list of notified chemical substances  |
| EN        | European Standard  |
| EU        | European Union   |
| IATA      | International Air Transport Association  |
| IBC       | International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) |
| ICx       | Inhibition concentration to x %  |
| IMDG      | International Maritime Dangerous Goods   |
| LCx       | Lethal concentration to x %  |
| LDx       | Lethal dose to x %   |
| LOEC/LOEL | Lowest observed effect concentration/level   |
| MARPOL    | MARPOL: International Convention for the prevention of marine pollution from ships                             |
| N.O.S.    | Not otherwise specified  |
| NOEC/NOEL | No observed effect concentration/level   |
| OECD      | Organization for Economic Co-operation and Development   |
| RID       | Regulations concerning the International Carriage of Dangerous Goods by Rail                                   |
| SI        | Statutory Instrument   |
| TWA       | Time weighted average  |
| UN        | United Nations   |
| WHO       | World health organisation  |

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.



## **RACUMIN FOAM**

Version 3 / GB  
102000025363

**12/12**  
Revision Date: 07.03.2017  
Print Date: 07.04.2017

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

**Reason for Revision:** Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 4: First Aid Measures. Section 6. Accidental Release Measures. Section 7: Handling and Storage. Section 8: Exposure Controls / Personal Protection.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.